

STD I

REG NO.	ARTH	POS	KISW	POS	BELS	POS	WRT	POS	READ	POS	HCE	POS	SPA	POS	TOTAL	AVERGE	GRADE	POSITION
1352	99	11	100	26	97	56.5	100	18.5	100	19	100	10.5	100	18.5	696	99	A+	1
1338	97	21.5	100	26	100	17.5	100	18.5	97	52.5	100	10.5	100	18.5	694	99	A+	2.5
1272	97	21.5	100	26	100	17.5	97	60	100	19	100	10.5	100	18.5	694	99	A+	2.5
1351	100	5	100	26	100	17.5	97	60	98	38	100	10.5	97	49.5	692	99	A+	4
1342	100	5	100	26	100	17.5	94	86	100	19	100	10.5	97	49.5	691	99	A+	6.5
1283	97	21.5	100	26	100	17.5	97	60	97	52.5	100	10.5	100	18.5	691	99	A+	6.5
1260	91	62.5	100	26	100	17.5	100	18.5	100	19	100	10.5	100	18.5	691	99	A+	6.5
1317	97	21.5	100	26	100	17.5	100	18.5	100	19	97	35.5	97	49.5	691	99	A+	6.5
1264	97	21.5	97	83.5	100	17.5	99	39	97	52.5	100	10.5	100	18.5	690	99	A+	9.5
1237	99	11	97	83.5	100	17.5	100	18.5	97	52.5	100	10.5	97	49.5	690	99	A+	9.5
1322	100	5	98	62.5	100	17.5	100	18.5	100	19	97	35.5	94	75.5	689	98	A+	11.5
1340	100	5	100	26	100	17.5	98	43	97	52.5	97	35.5	97	49.5	689	98	A+	11.5
1239	91	62.5	100	26	100	17.5	100	18.5	97	52.5	100	10.5	100	18.5	688	98	A+	14
1278	91	62.5	100	26	97	56.5	100	18.5	100	19	100	10.5	100	18.5	688	98	A+	14
1291	94	42	100	26	100	17.5	100	18.5	100	19	100	10.5	94	75.5	688	98	A+	14
1243	99	11	100	26	100	17.5	97	60	94	78	97	35.5	100	18.5	687	98	A+	16.5
1275	94	42	97	83.5	100	17.5	99	39	100	19	100	10.5	97	49.5	687	98	A+	16.5
1366	100	5	100	26	97	56.5	97	60	97	52.5	97	35.5	97	49.5	685	98	A+	19.5
1304	97	21.5	100	26	100	17.5	91	105	97	52.5	100	10.5	100	18.5	685	98	A+	19.5
1317	91	62.5	97	83.5	97	56.5	100	18.5	100	19	100	10.5	100	18.5	685	98	A+	19.5
1296	91	62.5	100	26	100	17.5	97	60	100	19	97	35.5	100	18.5	685	98	A+	19.5
1290	94	42	100	26	97	56.5	97	60	100	19	100	10.5	94	75.5	682	97	A+	23
1345	94	42	100	26	100	17.5	100	18.5	100	19	88	99	100	18.5	682	97	A+	23
1300	94	42	97	83.5	100	17.5	100	18.5	100	19	97	35.5	94	75.5	682	97	A+	23
1233	97	21.5	97	83.5	100	17.5	97	60	97	52.5	97	35.5	94	75.5	679	97	A+	26
1252	94	42	100	26	97	56.5	94	86	100	19	94	59.5	100	18.5	679	97	A+	26
1367	94	42	100	26	88	103.5	100	18.5	100	19	97	35.5	100	18.5	679	97	A+	26
1346	91	62.5	99	56.5	94	76.5	97	60	100	19	97	35.5	100	18.5	678	97	A+	29.5
1276	93	53.5	100	26	97	56.5	100	18.5	100	19	91	80	97	49.5	678	97	A+	29.5
1348	97	21.5	100	26	94	76.5	99	39	94	78	97	35.5	97	49.5	678	97	A+	29.5
1361	97	21.5	100	26	93	84	100	18.5	91	95.5	100	10.5	97	49.5	678	97	A+	29.5
1350	97	21.5	91	121	98	42	97	60	97	52.5	97	35.5	100	18.5	677	97	A+	32.5
1234	94	42	99	56.5	99	37	94	86	100	19	94	59.5	97	49.5	677	97	A+	32.5
1369	88	76.5	100	26	100	17.5	88	119	100	19	100	10.5	100	18.5	676	97	A+	35
1364	97	21.5	100	26	88	103.5	97	60	97	52.5	97	35.5	100	18.5	676	97	A+	35
1232	97	21.5	100	26	100	17.5	94	86	94	78	91	80	100	18.5	676	97	A+	35

1319	85	90.5	97	83.5	100	17.5	100	18.5	100	19	97	35.5	96	63	675	96	A+	37
1285	94	42	99	56.5	100	17.5	100	18.5	82	128.5	99	21.5	100	18.5	674	96	A+	39
1263	97	21.5	100	26	98	42	100	18.5	100	19	91	80	88	106	674	96	A+	39
1306	91	62.5	99	56.5	97	56.5	99	39	100	19	94	59.5	94	75.5	674	96	A+	39
1370	94	42	100	26	97	56.5	91	105	97	52.5	94	59.5	100	18.5	673	96	A+	42
1336	100	5	100	26	97	56.5	100	18.5	94	78	88	99	94	75.5	673	96	A+	42
1244	94	42	97	83.5	100	17.5	100	18.5	94	78	97	35.5	91	92	673	96	A+	42
1229	94	42	100	26	91	90.5	98	43	97	52.5	97	35.5	94	75.5	671	96	A+	44
1357	100	5	97	83.5	88	103.5	100	18.5	97	52.5	94	59.5	94	75.5	670	96	A+	45.5
1246	85	90.5	97	83.5	97	56.5	100	18.5	97	52.5	94	59.5	100	18.5	670	96	A+	45.5
1224	100	5	97	83.5	93	84	100	18.5	85	117	94	59.5	100	18.5	669	96	A+	48.5
1255	88	76.5	97	83.5	96	69	100	18.5	100	19	91	80	97	49.5	669	96	A+	48.5
1279	94	42	94	111.5	99	37	94	86	97	52.5	94	59.5	97	49.5	669	96	A+	48.5
1295	85	90.5	99	56.5	100	17.5	100	18.5	100	19	97	35.5	88	106	669	96	A+	48.5
1363	87	82	97	83.5	100	17.5	100	18.5	85	117	97	35.5	100	18.5	666	95	A+	51
1308	96	31	99	56.5	94	76.5	93	97	97	52.5	89	89	97	49.5	665	95	A+	52
1378	88	76.5	94	111.5	91	90.5	100	18.5	100	19	94	59.5	97	49.5	664	95	A+	54.5
1325	91	62.5	97	83.5	94	76.5	94	86	97	52.5	91	80	100	18.5	664	95	A+	54.5
1247	91	62.5	100	26	85	115.5	94	86	100	19	94	59.5	100	18.5	664	95	A+	54.5
1251	97	21.5	94	111.5	91	90.5	94	86	100	19	91	80	97	49.5	664	95	A+	54.5
1326	88	76.5	100	26	99	37	97	60	94	78	88	99	97	49.5	663	95	A+	57.5
1327	91	62.5	97	83.5	94	76.5	85	129	97	52.5	99	21.5	100	18.5	663	95	A+	57.5
1332	73	128.5	100	26	97	56.5	98	43	100	19	100	10.5	94	75.5	662	95	A+	59
1236	79	112	100	26	97	56.5	97	60	97	52.5	94	59.5	97	49.5	661	94	A+	60.5
1407	97	21.5	100	26	97	56.5	100	18.5	91	95.5	97	35.5	79	127.5	661	94	A+	60.5
1343	75	125	97	83.5	91	90.5	100	18.5	100	19	100	10.5	97	49.5	660	94	A+	64
1227	97	21.5	100	26	82	124.5	94	86	100	19	88	99	99	37	660	94	A+	64
1365	91	62.5	90	125	97	56.5	100	18.5	97	52.5	88	99	97	49.5	660	94	A+	64
1257	93	53.5	100	26	97	56.5	97	60	100	19	88	99	85	118	660	94	A+	64
1269	82	104.5	97	83.5	94	76.5	97	60	93	88	97	35.5	100	18.5	660	94	A+	64
1331	90	71	97	83.5	94	76.5	100	18.5	97	52.5	85	112.5	96	63	659	94	A+	67
1238	94	42	100	26	94	76.5	97	60	100	19	88	99	85	118	658	94	A+	68
1299	79	112	100	26	100	17.5	100	18.5	85	117	93	70.5	100	18.5	657	94	A+	69
1334	91	62.5	99	56.5	88	103.5	99	39	94	78	91	80	94	75.5	656	94	A+	70.5
1262	83	99	97	83.5	91	90.5	100	18.5	94	78	94	59.5	97	49.5	656	94	A+	70.5
1286	76	119.5	100	26	97	56.5	97	60	91	95.5	97	35.5	97	49.5	655	94	A+	74
1318	85	90.5	100	26	97	56.5	97	60	91	95.5	85	112.5	100	18.5	655	94	A+	74
1267	88	76.5	100	26	88	103.5	100	18.5	97	52.5	88	99	94	75.5	655	94	A+	74

1359	79	112	97	83.5	100	17.5	94	86	100	19	97	35.5	88	106	655	94	A+	74
1248	94	42	97	83.5	85	115.5	94	86	100	19	91	80	94	75.5	655	94	A+	74
1289	88	76.5	100	26	97	56.5	97	60	85	117	94	59.5	91	92	652	93	A+	78
1297	82	104.5	94	111.5	100	17.5	97	60	94	78	85	112.5	100	18.5	652	93	A+	78
1355	94	42	97	83.5	100	17.5	97	60	85	117	85	112.5	94	75.5	652	93	A+	78
1328	91	62.5	97	83.5	100	17.5	88	119	97	52.5	88	99	88	106	649	93	A+	80.5
1271	67	138	100	26	100	17.5	100	18.5	88	106.5	94	59.5	100	18.5	649	93	A+	80.5
1288	94	42	99	56.5	94	76.5	94	86	88	106.5	91	80	88	106	648	93	A+	82
1301	94	42	91	121	82	124.5	97	60	97	52.5	97	35.5	88	106	646	92	A+	83.5
1362	85	90.5	100	26	95	70	100	18.5	82	128.5	88	99	96	63	646	92	A+	83.5
1226	97	21.5	95	106	85	115.5	97	60	94	78	94	59.5	82	123.5	644	92	A+	85
1305	76	119.5	97	83.5	88	103.5	97	60	94	78	97	35.5	94	75.5	643	92	A+	87
1368	76	119.5	97	83.5	91	90.5	97	60	100	19	91	80	91	92	643	92	A+	87
1226	97	21.5	100	26	88	103.5	97	60	91	95.5	82	120	88	106	643	92	A+	87
1360	88	76.5	100	26	91	90.5	85	129	88	106.5	91	80	97	49.5	640	91	A+	89
1240	85	90.5	85	133	97	56.5	88	119	97	52.5	97	35.5	88	106	637	91	A+	91.5
1277	88	76.5	97	83.5	85	115.5	97	60	88	106.5	91	80	91	92	637	91	A+	91.5
1258	79	112	98	62.5	99	37	91	105	85	117	94	59.5	91	92	637	91	A+	91.5
1287	85	90.5	97	83.5	97	56.5	85	129	85	117	97	35.5	91	92	637	91	A+	91.5
1315	85	90.5	99	56.5	73	139.5	97	60	94	78	94	59.5	94	75.5	636	91	A+	94
1228	94	42	77	138	97	56.5	94	86	85	117	94	59.5	94	75.5	635	91	A+	95.5
1422	82	104.5	97	83.5	98	42	91	105	82	128.5	91	80	94	75.5	635	91	A+	95.5
1320	85	90.5	97	83.5	94	76.5	91	105	85	117	88	99	94	75.5	634	91	A+	97
1347	91	62.5	100	26	98	42	88	119	79	135	88	99	88	106	632	90	A+	98
1294	85	90.5	100	26	94	76.5	94	86	82	128.5	76	130	100	18.5	631	90	A+	99
1429	76	119.5	97	83.5	93	84	94	86	91	95.5	94	59.5	85	118	630	90	A	100
1268	88	76.5	94	111.5	82	124.5	91	105	94	78	88	99	88	106	625	89	A	101
1323	82	104.5	88	128.5	100	17.5	94	86	88	106.5	79	126	91	92	622	89	A	102
1356	67	138	97	83.5	97	56.5	88	119	95	67.5	93	70.5	82	123.5	619	88	A	103
1312	76	119.5	96	104.5	91	90.5	91	105	94	78	76	130	94	75.5	618	88	A	104
1253	85	90.5	91	121	88	103.5	91	105	85	117	88	99	88	106	616	88	A	105
1266	88	76.5	94	111.5	88	103.5	88	119	79	135	82	120	94	75.5	613	88	A	106
1245	76	119.5	93	117	82	124.5	94	86	91	95.5	85	112.5	91	92	612	87	A	108
1314	94	42	91	121	68	143	76	140	95	67.5	94	59.5	94	75.5	612	87	A	108
1280	94	42	84	134	82	124.5	85	129	94	78	82	120	91	92	612	87	A	108
1303	82	104.5	99	56.5	85	115.5	91	105	92	89	61	144.5	100	18.5	610	87	A	111
1278	73	128.5	94	111.5	88	103.5	91	105	100	19	85	112.5	79	127.5	610	87	A	111
1328	76	119.5	94	111.5	88	103.5	97	60	91	95.5	88	99	76	133	610	87	A	111

1329	91	62.5	94	111.5	76	136.5	94	86	82	128.5	91	80	76	133	604	86	A	113
1250	64	143	94	111.5	98	42	82	135.5	97	52.5	91	80	76	133	602	86	A	114
1406	70	133.5	97	83.5	88	103.5	97	60	82	128.5	79	126	88	106	601	86	A	115
1302	91	62.5	91	121	82	124.5	91	105	85	117	82	120	76	133	598	85	A	116.5
1365	85	90.5	88	128.5	91	90.5	94	86	91	95.5	70	139	79	127.5	598	85	A	116.5
1270	82	104.5	78	137	88	103.5	97	60	88	106.5	73	135	91	92	597	85	A	118
1273	70	133.5	91	121	85	115.5	91	105	91	95.5	76	130	88	106	592	85	A	119
1339	85	90.5	97	83.5	78	135	82	135.5	82	128.5	70	139	97	49.5	591	84	A	120
1284	85	90.5	100	26	82	124.5	91	105	73	140.5	82	120	76	133	589	84	A	122
1344	82	104.5	97	83.5	88	103.5	82	135.5	94	78	61	144.5	85	118	589	84	A	122
1242	64	143	97	83.5	79	132	94	86	94	78	85	112.5	76	133	589	84	A	122
1321	85	90.5	97	83.5	97	56.5	88	119	91	95.5	75	133	55	148	588	84	A	124
1350	65	141	88	128.5	94	76.5	94	86	91	95.5	88	99	64	144.5	584	83	A	125
1230	82	104.5	100	26	63	145	88	119	97	52.5	67	142.5	85	118	582	83	A	126.5
1265	82	104.5	73	141.5	73	139.5	90	113	88	106.5	88	99	88	106	582	83	A	126.5
1316	100	5	97	83.5	99	37			94	78	91	80	100	18.5	581	97	A+	128
1307	85	90.5	96	104.5	91	90.5	85	129	52	148.5	95	49	76	133	580	83	A	129.5
1259	67	138	97	83.5	82	124.5	88	119	88	106.5	76	130	82	123.5	580	83	A	129.5
1292	70	133.5	82	135.5	88	103.5	85	129	94	78	88	99	71	138	578	83	A	131
1231	73	128.5	73	141.5	88	103.5	85	129	76	138	91	80	91	92	577	82	A	132.5
1261	82	104.5	88	128.5	85	115.5	85	129	76	138	73	135	88	106	577	82	A	132.5
1349	70	133.5	97	83.5	79	132	91	105	82	128.5	70	139	85	118	574	82	A	134
1293	73	128.5	91	121	82	124.5	82	135.5	82	128.5	81	124	79	127.5	570	81	A	135
1313	76	119.5	73	141.5	85	115.5	91	105	73	140.5	85	112.5	82	123.5	565	81	A	136
1256	76	119.5	76	139	76	136.5	70	145	88	106.5	79	126	88	106	553	79	B+	137.5
1282	76	119.5	97	83.5	64	144	88	119	88	106.5	67	142.5	73	137	553	79	B+	137.5
1281	73	128.5	88	128.5	73	139.5	88	119	76	138	82	120	67	142.5	547	78	B+	139
1309	67	138	73	141.5	79	132	67	146	83	123	70	139	85	118	524	75	B+	140
1337	67	138	88	128.5	61	146.5	76	140	82	128.5	70	139	70	140	514	73	B+	141
1311	79	112	61	145	79	132	72	144	70	142	82	120	70	140	513	73	B+	142
1353	73	128.5	86	132	46	149	85	129	67	145	88	99	58	147	503	72	B+	143
1241	52	147	67	144	73	139.5	79	138	68	143	73	135	64	144.5	476	68	B	144
1298	64	143	82	135.5	79	132	54	147	52	148.5	48	147	88	106	467	67	B	145
1310	55	146	58	146	82	124.5	52	148	67	145	76	130	62	146	452	65	B	146
1235	61	145	48	148	70	142	73	142.5	79	135	43	148.5	67	142.5	441	63	B	147
1330	50	148	48	148	61	146.5	73	142.5	67	145	58	146	49	149	406	58	C	148
1341	49	149	48	148	57	148	76	140	55	147	43	148.5	70	140	398	57	C	149